

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Establishment – Engineering - PH&ME Department – Sri D. Srirama Chandra Murthy,
Superintending Engineer (PH) - Regularization of the waiting period of (48) days i.e., from
09.04.2017 to 26.05.2017 as compulsory wait – Orders – Issued.

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (C) DEPARTMENT

G.O.RT.No. 541

Dated: 26-07-2017

Read:-

From the Engineer-in-Chief (PH), Lr No.13244/CS1/2017, Dated:14.06.2017.

ORDER:

In the circumstances reported by the Engineer-in-Chief(PH), Tadepalli, Guntur District in the reference read above, Government after careful examination of the matter, hereby order that, the waiting period of (48) days i.e., from 09.04.2017 to 26.05.2017 in respect of Sri D. Srirama Chandra Murthy, Superintending Engineer (PH) is regularized as compulsory wait under FR 9 (6) (b).

2. The Engineer-in-Chief (PH), Tadepalli, Guntur District shall take necessary action accordingly.

3. This order does not require concurrence of the Finance Department as per the existing orders in force.

[BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH]

**R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT**

To
The Engineer-in-Chief(Public Health),
Garuda Enclave, Tadepalli, Guntur District.
The individual **through** the Engineer-in-Chief(PH).

Copy to:

The Director of Treasuries & Accounts, AP., Vijayawada.
The Principal Accountant General, AP., Hyderabad.
SF/SC

//Forwarded :: By Order//

SECTION OFFICER